

Australian Lighting Solutions

Item No.	Power (W)	Descriptions	
T8 LED tube light with replaceable power supply			
DL-T8-3528-06010W (A)	8-10W	LED type: SMD2835	Lumens: 800-1000lm(5000-7000K)
		LED quantity: 48pcs	luminous efficiency: 90lm/W
		Power Efficiency:>87%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 588*26mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9
DL-T8-3528-09014W (A)	14W	LED type: SMD2835	Lumens: 1500-1800lm(5000-7000K)
		LED quantity: 72pcs	luminous efficiency: 90lm/W
		Power Efficiency:>82%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 894*26mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9
DL-T8-3528-12018W (A)	15-18W	LED type: SMD2835	Lumens: 1500-1800lm(5000-7000K)
		LED quantity: 96pcs	luminous efficiency: 100lm/W
		Power Efficiency:>82%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 1198*26mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9
DL-T8-3528-12022W (A)	22W	LED type: SMD2835	Lumens: 2200-2500lm(5000-7000K)
		LED quantity: 132pcs	luminous efficiency: 100lm/W
		Power Efficiency:>82%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 1198*26mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9
DL-T8-3528-15022W (A)	22W	LED type: SMD2835	Lumens: 2200lm(5000-7000K)
		LED quantity: 132pcs	luminous efficiency: 100lm/W
		Power Efficiency:>87%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 1498*26mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9
Promotional T8 LED tube light			
DL-T8-3528-06010W (C)	8-10W	LED type: SMD2835	Lumens: 800-1000lm(5000-7000K)
		LED quantity: 48pcs	luminous efficiency: 90lm/W
		Power Efficiency:>87%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 588*26*28mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9

Australian Lighting Solutions Pty. Ltd.

4 Tampe Road. Rowville. Victoria. 3178. Australia

www.australianlightingsolutions.com.au

Australian Lighting Solutions

 DL-T8-3528-09014W (C)	12~14W	LED type: SMD2835	Lumens: 1200-1400lm(5000-7000K)
		LED quantity: 72pcs	luminous efficiency: 90lm/W
		Power Efficiency:>87%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 894*26mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9
 DL-T8-3528-12018W (C)	15-18W	LED type: SMD2835	Lumens: 1500-1800lm(5000-7000K)
		LED quantity: 96pcs	luminous efficiency: 90lm/W
		Power Efficiency:>82%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 1198*26*28mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9
 DL-T8-3528-12022W (C)	22W	LED type: SMD2835	Lumens: 2200-2500lm(5000-7000K)
		LED quantity: 132pcs	luminous efficiency: 90lm/W
		Power Efficiency:>82%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 1198*26*28mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9
 DL-T8-3528-15022W (C)	22W	LED type: SMD2835	Lumens: 2200lm(5000-7000K)
		LED quantity: 132pcs	luminous efficiency: 90lm/W
		Power Efficiency:>87%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 1498*26*28mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9
 DL-T8-3528-15025W (C)	25W	LED type: SMD2835	Lumens: 2500(5000-7000K)
		LED quantity: 2835SMD LEDs	luminous efficiency: 90lm/W
		Power Efficiency:>87%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 1498*26mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9
 DL-T8-3528-15030W (C)	30W	LED type: SMD2835	Lumens: 3000lm(5000-7000K)
		LED quantity: 2835SMD LEDs	luminous efficiency: 90lm/W
		Power Efficiency:>87%	Working Frequency: 50-60Hz
		Materials:Aluminium+PC Cover	Size(L*D): 1498*26mm
		Input Voltage:AC85-265V	Ambient Temperature:-30°C to 55°C
		Pin type: T8- G13	Power factor: >0.9

Australian Lighting Solutions

Item No.	Power (W)	Descriptions	
LED SMD3528 T8 tube light			
 DL-T8-3528-0608W(B)	8W	LED type: SMD3528	Lumens: 720lm(6500-7000K)
		LED quantity: 120pcs	luminous efficiency: 90 lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage:AC85-265V	Size(L*D): 588*26mm
		Pin type: T8- G13	Ambient Temperature:-30°C to 55°C
 DL-T8-3528-06010W(B)	10W	LED type: SMD3528	Lumens: 900lm(6500-7000K)
		LED quantity: 144pcs	luminous efficiency: 90lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage:AC85-265V	Size(L*D): 588*26mm
		Pin type: T8- G13	Ambient Temperature:-30°C to 55°C
 DL-T8-3528-09012W(B)	12W	LED type: SMD3528	Lumens: 1080lm(6500-7000K)
		LED quantity: 168pcs	luminous efficiency: 90lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage:AC85-265V	Size(L*D): 894*26mm
		Pin type: T8- G13	Ambient Temperature:-30°C to 55°C
 DL-T8-3528-09014W(B)	14W	LED type: SMD3528	Lumens: 1260lm(6500-7000K)
		LED quantity: 204pcs	luminous efficiency: 90lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage:AC85-265V	Size(L*D): 894*26mm
		Pin type: T8- G13	Ambient Temperature:-30°C to 55°C
 DL-T8-3528-12012W(B)	12W	LED type: SMD3528	Lumens: 1200lm(6500-7000K)
		LED quantity: 168pcs	luminous efficiency: 100lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage:AC85-265V	Size(L*D): 1198*26mm
		Pin type: T8- G13	Ambient Temperature:-30°C to 55°C
 DL-T8-3528-12015W(B)	15W	LED type: SMD3528	Lumens: 1500lm(6500-7000K)
		LED quantity: 240pcs	luminous efficiency: 100lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage:AC85-265V	Size(L*D): 1198*26mm
		Pin type: T8- G13	Ambient Temperature:-30°C to 55°C

Australian Lighting Solutions

 DL-T8-3528-12018W(B)	18W	LED type: SMD3528	Lumens: 1800lm(6500-7000K)
		LED quantity: 288pcs	luminous efficiency: 100lm/W
		Power Efficiency:>82%	Power factor: >91%
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage: AC85-265V	Size(L*D): 1198*26mm
		Pin type: T8- G13	Ambient Temperature: -30°C to 55°C
 DL-T8-3528-12022W(B)	22W	LED type: SMD3528	Lumens: 2200lm(6500-7000K)
		LED quantity: 336pcs	luminous efficiency: 100lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage: AC85-265V	Size(L*D): 1198*26mm
		Pin type: T8- G13	Ambient Temperature: -30°C to 55°C
 DL-T8-3528-12025W(B)	25W	LED type: SMD3528	Lumens: 2500lm(6500-7000K)
		LED quantity: 360pcs	luminous efficiency: 100lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage: AC85-265V	Size(L*D): 1198*26mm
		Pin type: T8- G13	Ambient Temperature: -30°C to 55°C
---1500mm			
 DL-T8-3528-15018W(B)	18W	LED type: SMD3528	Lumens: 1800lm(6500-7000K)
		LED quantity: 288pcs	luminous efficiency: 100lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage: AC85-265V	Size(L*D): 1498*26mm
		Pin type: T8- G13	Ambient Temperature: -30°C to 55°C
 DL-T8-3528-15022W(B)	22W	LED type: SMD3528	Lumens: 2200lm(6500-7000K)
		LED quantity: 336pcs	luminous efficiency: 100lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage: AC85-265V	Size(L*D): 1498*26mm
		Pin type: T8- G13	Ambient Temperature: -30°C to 55°C
 DL-T8-3528-15025W(B)	25W	LED type: SMD3528	Lumens: 2500lm(6500-7000K)
		LED quantity: 360pcs	luminous efficiency: 100lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage: AC85-265V	Size(L*D): 1498*26mm
		Pin type: T8- G13	Ambient Temperature: -30°C to 55°C
 DL-T8-3528-15030W(B)	30W	LED type: SMD3528	Lumens: 3000lm(6500-7000K)
		LED quantity: 432pcs	luminous efficiency: 100lm/W
		Power Efficiency:>87%	Power factor: >0.92
		Materials: Isolated led driver+Aluminium+PC Cover	Working Frequency: 50-60Hz
		Input Voltage: AC85-265V	Size(L*D): 1498*26mm
		Pin type: T8- G13	Ambient Temperature: -30°C to 55°C

Australian Lighting Solutions Pty. Ltd.

4 Tampe Road. Rowville. Victoria. 3178. Australia

www.australianlightingsolutions.com.au